PTO/SB/122 (01-08)

Approved for use through 12/31/2008. OMB 0651-0035
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE to a collection of information unless it displays a valid OMB control number.

10/042.844

November 19, 2001

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Filing Date

CHANGE OF

CORRESPONDENCE ADDRESS

Applicant/Inventor

Signature

Application Number

Application		
	First Named Inventor	Siegel, Mark David
Address to: Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	Art Unit	3714
	Examiner Name	Coburn, Corbett B.
	Attorney Docket Number	115438-350
Please change the Correspondence Address for the above-identified patent application to:		
The address associated with Customer Number:	29180	
OR		
Firm or Individual Name		
Address		
City	State	Zip
Country		_1
Telephone	Email	
This form cannot be used to change the data associated data associated with an existing Customer Number use	ed with a Customer Number. e "Request for Customer Num	To change the ober Data Change" (PTO/SB/124).
I am the:		

Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

✓ Attorney or agent of record. Registration Number 48.250

Registered practitioner named in the application transmittal letter in an application without an executed oath or declaration. See 37 CFR 1.33(a)(1). Registration Number

Assignee of record of the entire interest.

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.

This collection of information is required by 37 CFR 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USTO to process) an application. Confidentially is governed by 38 U.S. C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to late 3 minutes to comprete including gathering, preparing, and subminutes for comprete including gathering the compression of the control of the con